



**Council Chambers  
436 East 22<sup>nd</sup> Ave.  
Torrington, WY**

**City Council Agenda  
Tuesday Nov. 1<sup>st</sup>, 2016  
7:00 P.M.**

**\* Call the meeting to order.**

**\* Pledge of Allegiance.**

**\* Mayor's Correspondence:**

The Council Meeting on Tuesday, November 15<sup>th</sup> has been changed to Monday, November 14<sup>th</sup>, 2016 due to a conflict with the MEAN Board meetings in North Platte, NE.

**\* Approval of the Consent Agenda which includes:**

The minutes from the 10-18-16 Council Meeting as published.

**\* Approval of the Agenda.**

**\* Public Forum.**

For Non Agenda items, there is a time limit of 2 minutes and the speaker must sign up before the meeting. This is a time for the Council to listen, NO ACTION WILL BE TAKEN.

**Action Items:**

**1) Proclamation:**

Declaring November 14-20<sup>th</sup>, 2016 as Wyoming Apprenticeship Week.  
Staff Reference: Dana Youtz, Electrical Supervisor

**2) Council Consideration:**

Table Mountain Vineyards, LLC has requested a catering permit for a WY Arts Council Social Hour and Gathering at 21<sup>st</sup> & Main on November 10<sup>th</sup>, 2016 from 4:00 p.m. to 8:00 p.m.

**3) Ordinance 1<sup>st</sup> Reading.**

Relating to Vicious Animals.  
Staff Reference: Jim Eddington, City Attorney

**4) Council Consideration:**

Request from West Highway Water and Sewer District to amend the City ordinance to bill West Highway Water and Sewer District for sewer based on monthly flow.  
Reference: Jerry Canaday, Chairman of West Highway Water and Sewer  
Staff Reference: Jim Eddington, City Attorney

**5) Ordinance 1<sup>st</sup> Reading.**

Relating to the adoption of the 2015 International Building Codes.  
Staff Reference: Dennis Estes, Building Official

**6) Council Consideration:**

Proposals for the 2017 Golf Season.  
Staff Reference: David Dent, Golf Pro

- a) 2017 Golf Rates.
- b) 2017 Golf Tournament Schedule.
- c) 2017 Senior and Senior Couple Rates.
- d) Lease of Five City Golf Carts to individuals for the 2017 Golf Season.

**7) Approval of the bills from 10-19-16 to 11-01-16.**

Staff Reference: Lynette Strecker, Clerk/Treasurer

**8) Adjourn.**

City of Torrington )  
County of Goshen )  
State of Wyoming )

The Torrington City Council met in regular session on Tuesday, October 18<sup>th</sup>, 2016 in the City Council Chambers at 436 East 22<sup>nd</sup> Ave. at 7:00 p.m. Present: Mayor Varney, Council Members Adams, Hill, Kelly and Law. Also Present: Clerk/Treasurer Strecker, Attorney Eddington, Assistant Police Chief Michael Matthews, Project Manager Weis, and Deputy City Clerk Kinnan.

Mayor Varney called the meeting to order.

Councilman Bill Law led the Pledge of Allegiance.

Mayor Varney read a letter from Cydney Sharp and her Eastern Wyoming College (EWC) Basics in U.S. & Wyoming Government class. They thanked the Mayor and Council for allowing them to visit and observe the October 4<sup>th</sup> Council meeting. They enjoyed watching their local government in action.

Councilman Adams moved and Councilwoman Hill seconded to approve the consent agenda which included the minutes of the 10-04-16 Council meeting as published and all actions therein be ratified, and to change the Tuesday, November 15<sup>th</sup>, 2016 Council meeting to Monday, November 14<sup>th</sup>, 2016 due to a conflict with the MEAN board meeting. Motion carried unanimously.

Councilman Kelly moved and Councilman Law seconded to approve the agenda as presented. Motion carried unanimously.

Robert Reeves manager of 77 Capital Corporation's Spririts Bar addressed the Council. He stated that the sales tax for the bar had been paid today by ACH and presented a letter from First State Bank stating they guaranteed payment. Mr. Reeves requested the Council remove 77 Capital Corporation's liquor license suspension from the agenda. Attorney Eddington stated the City was notified by 77 Capital Corporation this afternoon the sales tax had been paid, the City then notified the liquor division about the payment, but the liquor division stated as of 4:45 p.m. they still had not received notification of the payment. Attorney Eddington stated the Council could take no action, the normal action of suspending the license until the City receives notification of payment from the State of WY, or defer the suspension until 9:00 a.m. or noon tomorrow to allow time for the payment to go through. Mayor Varney thanked Mr. Reeves and stated when the Council got to this item on the agenda they would decide what action needed taken.

Attorney Eddington read a proclamation declaring November 2016 as National American Indian Heritage Month. Councilman Law moved and Councilwoman Hill seconded to approve the proclamation as presented. Motion carried unanimously.

Ashley Harpstreith, Executive Director of Goshen County Economic Development addressed the Council. She presented a check to the City in the amount of \$6,208.36 for an Economic Development Infrastructure Investment Fund Grant. The money will be used at the City's Pioneer RV Park to upgrade the electrical from 30 amps to 50 amps. She commented the RV Park will be especially busy next year with visitors coming through the area to view the solar eclipse. She stated her office has been educating the voters on the importance of renewing the fifth penny and lodging tax. The Council thanked Goshen County Economic Development for the grant.

Councilman Adams moved and Councilman Law seconded to defer the suspension of 77 Capital Corporation's liquor license due to sales tax delinquency until noon on October 19<sup>th</sup>, 2016. Motion carried unanimously.

Mayor Varney recommended appointing Building Official Dennis Estes as the City Representative on the Intergovernmental Sewer Committee to replace retired City Engineer Robert Juve, the term is indefinite. Councilman Adams moved and Councilwoman Hill seconded to approve the appointment as presented. Motion carried unanimously.

Project Manager Weis presented the bid results for the Sanitary Sewer Improvements. Staff recommended awarding the Base Bid, to Bivens Construction of Torrington, WY for a total amount of \$153,430 and reserve \$15,343 (10%) for contingency, for a completed project total of \$168,773 and reserve the balance of the CDBG funds in the amount of \$28,692 for design fees and future CDBG projects. Project Manager Weis stated this is a sewer lining project from 11<sup>th</sup> Ave. to 14<sup>th</sup> Ave. on Haines, West B and West C Streets. Councilman Adams inquired if the manholes would be replaced. Project Manager Weis stated no, replacing them would put the project over budget. Councilman Kelly inquired about Bivens' experience. Project Manager Weis stated they have done work in the Cold Springs Industrial Park, were currently working on the new project at Eastern Wyoming College, and if awarded this City project would start on it in late winter or early next spring. Councilwoman Hill moved and Councilman Law seconded to approve awarding the project to Bivens Construction as presented. Motion carried unanimously.

The bills from 10-05-16 to 10-18-16 were presented for payment. Councilman Adams moved and Councilman Kelly seconded to approve the bills for payment as presented. Motion carried unanimously.

Councilman Kelly moved and Councilwoman Hill seconded to adjourn to executive session to discuss litigation and personnel. Motion carried unanimously.

Councilwoman Hill moved and Councilman Adams seconded to return the Council to regular session. *Motion carried unanimously.*

Councilwoman Hill asked Attorney Eddington if the Council needed to take any action. Attorney Eddington stated no they did not.

Teri Shinost addressed the Council. She invited the Council to attend an open house at the Waggin Tails Animal Shelter from 2:00 p.m. to 6:00 p.m. on Friday October 28<sup>th</sup>, 2016.

Councilwoman Hill moved and Councilman Adams seconded that there being no further business to come before the Council to adjourn at 8:10 p.m. Motion carried unanimously.

The following bills were approved for payment: 58300 BANKER'S BANK OF THE WEST INC QTRLY lease purchase 0118-001 65565.26;58301 MUNICIPAL ENERGY AGENCY OF NE wholesale power 489152.64;58302 WYRULEC CO LANDFILL ELECTRIC(2meters)194.79;58303 WOOD,CHEYENNE final bill/cr rtn 66.71;58304 UDELHOVEN,JONI G final bill/dep rtn 37.70;58305 TOULOUSE,BRIAN final bill/dep rtn 21.90;58306 TREASURER STATE OF CONNECTICUT 2016 unclaimed property 55.10;58307 SMITH,TIMOTHY&NORINE final bill/dep rtn 30.93;58308 BINGHAM,BRANDI refund tablecloths/dep rtn 64.00;58309 MILLER,DAVID E final bill/dep rtn 96.30;58310 ACCENT WIRE-TIE 12ga galv hi-tensile tying wire-110.86cwt 5432.14;58311 ACUITY SPECIALTY PRODUCTS INC glass cleaner,hand cleaner 302.40;58312 BENCHMARK OF TORRINGTON 2016 flooding elev@golf course/culverts 977.00;58313 C H GUERNSEY&CO pass-on 2015TY 1650.00;58314 CANON FINANCIAL SERVICES INC copier contracts 524.25;58315 CASELLE INC Contract Support&Maint 1990.00;58316 CASPER COLLEGE continuing education-new emply 424.00;58317 CITY OF TORRINGTON small claims filing fee/court chrgs,pitchers,titles,lien 106.24;58318 CITY OF TORRINGTON payroll withhold-utilities/golf/phone data 240.53;58319 CITY OF TORRINGTON c/o FIRST STATE BANK optional sales tax 71129.64;58320 ABSOLUTE SOLUTIONS rmv&instll dual hd remove mnt radio-ambulance 761.49;58321 COMMUNITY HOSPITAL ambnlce spplies 213.77;58322 CROELL REDI-MIX INC 6' retaining wall block-unloadng ramp-baler 1170.00;58323 CUMMINS CENTRAL POWER LLC Planned Maint.-fire dept generac 545.56;58324 D A R E Alcohol&tobacco Compliance check 600.00;58325 DANA KEPNER CO INC 8" register meter,2" tee less access,transistn gland packs 2666.51;58326 DECKER,STEVE icemelt, fertilizer,anti-freezex1 case 10017.00;58327 DENT,DAVID A golf pro payable 1289.00;58328 DIVERSIFIED SERVICES cleaning visits 360.00;58329 DIVERSIFIED SERVICES PER AGREEMENT 1500.00; 58330 DPC INDUSTRIES INC Sodium Hypo 12.5%,bulk 2250.00;58331 JAMES A. EDDINGTON PC extended hours for attorney 1135.47;58332 JAMES A. EDDINGTON PC CITY ATTORNEY 6000.00;58333 EMERGENCY APPARATUS MAINT INC pmp tests,rpr primer inoperative,deck gun,intake relief,srvc transmission,dschrg valve kit,inspected foam pro system 3434.22;58334 ENERGY LABORATORIES INC lab testing/pwsid/ process control 144.00;58335 FALES ENTERPRISES startup heaters,winterizd&clean ice mach,chngd water filter 498.00;58336 FAMILY SUPPORT REGISTRY PAYROLL WITHHOLD 235.97;58337 FARWEST LINE SPECIALTIES LLC 24" fiberglass bolt cutter 296.52;58338 FLOYD'S TRUCK CENTER INC. spigot cap,hardwr kit spare 62.62;58339 POWERPLAN screws,grommets,inserts 64.12;58340 FRENCHMAN VALLEY FARMERS COOP INC. 55 gal def terracair(blue def) 230.25;58341 PRO QUALITY PEST CONTROL pest control 90.00;58342 GE BETZ INC chemical management-prison 2188.73;58343 BARCO PRODUCTS CO rplcmnt 35gal plain grbg can hood lid 160.24;58344 GLOBAL EQUIPMENT CO 18.5Lx18.5Wx14.75H dome lid 64.86;58345 GOSHEN CO ECONOMIC 1/4 Cent sales tax 17782.41;58346 GOSHEN CO ECONOMIC monthly contribution 1980.00;58347 GOSHEN CO ECONOMIC annual meeting dues 300.00;58348 GREAT-WEST TRUST CO LLC payroll withhold 1575.62;58349 GREATAMERICA FINANCIAL SERVICES CORP COPIER LEASES 483.00;58350 PEACHTREE BUSINESS PRODUCTS hardness test kit refill-50 tests 93.97; 58351 HICKEY&EVANS LLP pass on 2016,tariff revisions 7812.85;58352 HYATT,CHARLES H striping, arrows,handicap mrkngs prject 7286.65;58353 KNUDSEN LAW OFFICES Municipal Court Judge 1600.00; 58354 KOIS BROTHERS EQUIPMENT CO lids for carts-trash 1115.18;58355 LUJAN CLEANING SERVICE LLC cleaning&window cleaning 230.00;58356 NEOFUNDS by NEOPOST postage-neopost acct 125.43;58357 MCKEE,KAREN R&MARTIN B utv seat covered 90.00;58358 MCMMASTER-CARR SUPPLY CO tube fittings,on /off valve,nipple,fittings 150.91;58359 MERITAIN HEALTH INC premium&life premium 27015.59;58360 MERIDIAN TRUST FEDERAL CREDIT UNION PAYROLL WITHHOLD 3165.00;58361 MOTOROLA SOLUTIONS INC. Srvc Agreemnt-disptch serv,ntwrk monitors 4650.21;58362 MUNICIPAL CODE CORPORATION Annual web hosting 900.00;58363 MUNICIPAL ENERGY AGENCY OF NE monthly rita installment 4276.57;58364 NEWMAN TRAFFIC SIGNS in-street ped crossing 315.74;58365 NORTH PARK TRANS CO wooden boxes containing artwork 70.50;58366 OLSON TIRE recaps,repair,patch tires 1142.46;58367 ONE CALL OF WY tickets for CDC code TRG 96.75;58368 PANHANDLE COOP coffee filters,purchasing lunch,sugar,15/40,grease lube,indol/iso hyd oil,50/50 antifreeze,tire,tubes,15/40 supertms,dyed ruby,dyed #1,unleaded gas 13783.45;58369 ENVIRO SERVICES INC lab analysis ecoli outfall,pond3, influent, prison 180.00;58370 PINNACLE BANK usps,travel exp,plumbing inspector certify,car show exp,trigger gun,bytebox filters,batteries,pipe bursting/financing/public wrks books,paypal emp recivables,dishsoap,techstreet print edition NS elec mtrs,wing joints,pvc,pipe,hose,nipple,dbc irrigation cts stiffner,helmet progrm-big hammer shields 2554.01;58371 PORT-A-POTS BY TDS INC rental soccer fields/sports complex 307.03;58372 PRINT EXPRESS INC UPS 71.11;58373 RAILROAD MANAGEMENT CO III.LLC license fees 2017-2018 146.41;58374 RINGLE,DANIEL K. museum contract consultant 750.00;

58375 SAM'S CLUB/SYCHRONY BANK honeywell 8.5W LED bulb set-10pack 44.96;58376 DBC  
*IRRIGATION SUPPLY solenoids 222.39;58377 TIMBERLINE ELECTRIC & CONTROL CORP annual global care*  
software rnwl 4375.00;58378 TORRINGTON FIRE DEPT fall fire school reimbursement 120.00;58379  
TORRINGTON OFFICE SUPPLY copy paper, receipt books, ink cartridges, binders, report covers, folders,  
roller cleaner, labels, pens, ribbons, batteries, logitech R400 presenter 656.17;58380 TOUCHTONE  
COMMUNICATIONS INC. long distance 74.91;58381 U S POSTMASTER Credit for postage 850.00;58382  
VALLEY MERCANTILE CO batteries 143.95;58383 VERIZON WIRELESS cell phone/fire dept 56.11;58384  
WALTON, JAMES H AIRPORT ASSIST CONTRACT 1500.00;58385 WAMCO LAB INC full effluent toxicity  
test, NPDES STUDY, Full Chronic Toxicity test 2280.00;58386 WASHINGTON NATIONAL INSURANCE CO  
PAYROLL WITHHOLD 32.70;58387 WEGLIN JR., ED Mow/Trim – lift station/1402 W A 214.00;58388  
WELLS FARGO BANK N.A. 2007&2011 bond principal/interest 425199.79;58389 WELLS FARGO BANK  
N.A. Trustee Fee 10/16/16-10/15/2017 3500.00;58390 WESTERN COOPERATIVE CO dyed prem./diesel  
2573.75;58391 WESTERN PATHOLOGY CONSULTANTS drug screen, urine collection 62.10;58392  
WORKING PERSON'S STORE carolina boots 123.24;58393 WRIGHT, JERRY W. AIRPORT CONTRACT  
1575.00;58394 WY CHILD SUPPORT PAYROLL WITHHOLD 262.61;58395 WY CHILD SUPPORT PAYROLL  
WITHHOLD 230.76;58396 WY DEPT OF HEALTH Business License-ambulance 20.00;58397 WY DEPT OF  
TRANSPORTATION transfer amb#MS51 license plate- 1211 5.00;58398 RESPOND FIRST AID SYSTEMS OF  
WY 1st aid kit supplies 216.72;58399 WY HEALTH FAIRS chemistry panel/wellness screening 65.00;58400  
TORRINGTON TELEGRAM legals, advertising 2115.76;58401 WY STATE TREASURER'S OFFICE 2016  
unclaimed property 35.09;58402 YOUNGER, TOD M ground maint 100.00;58403 SCOTT, STEVEN E final  
bill-dep rtn 81.67;58404 HURLEY, TANYA cr rtn rplc ck#54133 44.34;58405 BALSER, GENTRY dep rtn-  
rplc ck #54839 14.30;58406 GOULART, HOLLY cr rtn-rplc ck #55083 52.91;58407 MCINTOSH, FAY  
& GWEN dep rtn-rplc ck #55086 80.32;58408 QUINONEZ, SUZANNE replace pr check #44501  
172.23;58409 GLEN H ERDMAN ESTATE final bill/dep rtn 173.40



## Proclamation

**WHEREAS**, we are at a time when the nation needs skilled workers, apprenticeship helps Wyoming compete more effectively in the global economy, and contributes to Wyoming's economic development, sustained growth, and state security; and,

**WHEREAS**, this earn-while-you-learn model ensures higher earnings for apprentices and a highly skilled workforce. Apprenticeship USA ensures quality training by combining on-the-job training with theoretical instruction; and,

**WHEREAS**, today in Torrington, there are two employers offering Registered Apprenticeship training to active apprentices; and,

**WHEREAS**, over the years, thousands of individuals have completed their registered apprenticeship throughout Wyoming in both union and non-union programs; and,

**WHEREAS**, the demand for skilled workers will continue to increase, Registered Apprenticeship is a time tested and proven method of ensuring that the demand can be met, not only in Wyoming, but nationwide as well. Apprenticeship USA will endeavor to keep Wyoming on the cutting edge of economic growth throughout the 21<sup>st</sup> century; and,

**WHEREAS**, November 14-20, 2016 has been proclaimed "NATIONAL APPRENTICESHIP WEEK" by the President of the United States of America;

**Now, Therefore, I, Michael E. Varney**, Mayor of the City of Torrington do hereby declare November 14-20, 2016 as

**"Wyoming Apprenticeship Week"**

**IN WITNESS WHEREOF**, I have hereunto set my hand and caused the official seal of the City of Torrington to be affixed this \_\_\_\_\_ day of November, 2016.

---

Michael E. Varney, Mayor

AN ORDINANCE AMENDING AND RE-ENACTING SECTION  
6.04.420 OF THE TORRINGTON MUNICIPAL CODE, 2016  
REVISIONS, RELATING TO VICIOUS ANIMALS.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF TORRINGTON,  
WYOMING:

Section 1: That Section 6.04.420 of the Revised Ordinances of the City of Torrington, Wyoming, 2016 Revisions, be and it is hereby amended to read as follows:

Section 6.04.420 Vicious animals.

- A. Vicious animals prohibited: Any animal that constitutes a physical threat to any human being or to any other animal, by biting, clawing, attacking, lunging toward, growling, barking, baring teeth or otherwise acts in a menacing manner toward or at any human being or other animal, or if any of the aforementioned acts or conduct is attempted toward or at any human being or other animal, it is a violation of this section and the owner or custodian of said vicious animal shall be guilty of a misdemeanor and fined no more than \$750.00 plus \$10.00 court costs if convicted.
- B. Dangerous dog--Responsibilities. Upon conviction of an owner or custodian, by a court of competent jurisdiction, of a vicious dog violation, such dog shall be considered a 'dangerous dog.' When a dangerous dog is allowed to remain within the animal control district, the following requirements shall be enforced.
- C. No owner of a dangerous dog shall permit such dog to go beyond the property of the owner or keeper unless such dog is securely muzzled and physically restrained with a chain having a minimum tensile strength of 300 pounds and not exceeding three feet in length.
- D. When off the premises of the owner or keeper such dog shall be accompanied by a competent person, physically capable of handling such dog.
- E. While unattended on the owner's property, a dangerous dog shall be securely confined, in a humane manner, indoors or in a securely enclosed and locked pen or structure suitably designed to prevent the entry of young children and to prevent the dog from escaping. The pen or dangerous animal run area must have all sides six feet high and a secure top. If the pen structure has no bottom secured to the sides, the sides must be embedded into the ground no less than one foot.
- F. The owner of a dangerous dog shall post warnings signs on the property where the dog is kept that clearly visible and that inform persons that a dangerous dog is on the property.
- G. No person shall possess with the intent to sell, offer for sale, breed, or buy or attempt to buy, within the animal control district any dangerous dog.
- H. Any dangerous dog may be immediately seized and impounded by an animal control

officer or police officer if the owner is in violation of this section. The owner shall be responsible for the reasonable cost incurred by the city for the care of a dangerous dog confiscated by the animal control officer or for the destruction of any dangerous dog if the action by the city is pursuant to law and if the owner violated this section. Any such dog shall be retained by the city pending the order of an appropriate court.

I. In addition to any other penalty, a court may order the city to dispose of a dangerous dog in an expeditious and humane manner.

J. Any dangerous dog found upon any property, public or private, not the premises of the owner may, if such animal cannot be safely taken up and impounded by reasonable means, be destroyed by the animal control or police officer.

K. The owner of a dangerous dog shall notify the city within 24 hours of the animal's escape or release, that the animal is loose, unconfined, has attacked another animal, or a human being, has died or been given away. If the dangerous dog has been given away, immediately upon the conveyance, the owner or keeper shall provide the animal control shelter with the name, address and telephone number of the new owner. Upon conveyance, the new owner, if he/she resides within the animal control district, will be obligated to comply with the requirements of this chapter and section.

Section 2: This ordinance shall be in full force and effect from and after its passage and approval and publication as required by law.

Passed and approved on first reading the 1st day of November, 2016.

Passed and approved on second reading the 14th day of November, 2016.

Passed and approved on third and final reading the 6th day of December, 2016.

---

Mayor

ATTEST:

---

City Clerk/Treasurer

## ORDINANCE NO.

### AN ORDINANCE AMENDING AND RE-ENACTING TITLE 15 OF THE TORRINGTON MUNICIPAL CODE, 2006 2016 REVISIONS, RELATING TO 2015 INTERNATIONAL BUILDING CODES.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF TORRINGTON, WYOMING:

**Section 1.** That Chapter 15.02.010 of the Revised Ordinances of the City of Torrington, Wyoming, ~~2006 2015~~ Revisions, be and it is hereby created to read as follows:

**15.02.010 Building official--Generally.**

There is created the office of the building official. The mayor shall designate a representative to act as the building official.

**15.02.020 Building official--Recordation.**

The building official shall keep complete records of all permits issued and inspections made and other official work performed under the provisions of this title.

**Section 2.** That Chapter 15.04 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby amended and re-enacted to read as follows:

**15.04.010 Adoption of Uniform Codes by reference.**

1. The purpose of this chapter is to protect the health and safety of the public by regulating the construction, alteration, repair, demolition, and moving of buildings and structures within the city.

2. The following Codes in the editions noted are hereby adopted by reference with certain amendments and deletions thereto found to be in the best interest of the residents of the city:

- A. ~~2006 2015~~ edition of the International Residential Code for One- and Two-Family Dwellings;
- B. ~~2006 2015~~ edition of the International Building Code;
- C. ~~2006 2015~~ edition of the International Existing Building Code;
- D. ~~2006 2015~~ edition of the International Sign Code;
- E. ~~2006 2015~~ edition of the International Fire Code;
- F. ~~2006 2015~~ edition of the International Energy Conservation Code;
- G. ~~2006 2015~~ edition of the International Plumbing Code;
- H. ~~2006 2015~~ edition of the International Fuel Gas Code; and the
- I. ~~2006 2015~~ edition of the International Mechanical Code; all as published by the International Code Council; and the
- J. ~~2008 2015~~ edition of the National Electrical Code, published by the National Fire Protection Association; and the
- K. 1997 edition of the Uniform Code for the Abatement of Dangerous Buildings, also as published by the International Code Council.

**15.04.020 Adoption.**

The ~~2006 2015~~ International Residential Code for One- and Two-Family Dwellings, including Appendix Chapters E MANUFACTURED HOUSING USED AS DWELLINGS, F PASSIVE RADON GAS CONTROL METHODS, G PIPING STANDARDS FOR VARIOUS APPLICATIONS, H PATIO COVERS, J EXITING BUILDINGS AND STRUCTURES K SOUND TRANSMISSION, L PERMIT FEES, and M HOME DAY CARE- R-3 OCCUPANCY N VENTING METHODS R LIGHT STRAW-CLAY CONSTRUCTION S STRAWBALE CONSTRUCTION are adopted by reference and have the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.030 Section R101.1 amended--Title.**

The first paragraph of Section R101.1 is amended to read as follows:

These provisions shall be known as the Residential Code for One- and Two-Family Dwellings of the City of Torrington, and shall be cited as such and will be referred herein as "this code."

**15.04.040 Sections R102 through R114 amended--Administration.**

Sections R102 through R114 are deleted in their entirety.

This code shall be administered in accordance with Chapter 1, Administration of the International

*Building Code as adopted and amended by this chapter.*

**15.04.050 Table R301.2 (1) amended--Climatic and geographic design criteria.**

Table R301.2 (1), "Climatic and Geographic Design Criteria," is amended to read as follows:

Ground snow load = 30 psf (1.44 kN/m<sup>2</sup> )  
Wind speed = 90 mph (40 m/s) (3-second gust), Exposure category "C"  
Seismic design category = Site Class C  
Weathering = Severe  
Frost line depth = 44" 42"  
Termite = none to slight  
Decay = none to slight  
Winter design temperature = -1° F (-18° degrees C)  
Ice shield underlayment required = No  
Flood hazards = FIRM Community Panel #560023, December 11, 1985  
Air freezing index = 1500  
Mean annual temperature = 48.3° F (9.1° C)

**15.04.060 Chapter 11 amended--Energy efficiency.**

Chapter 11 is deleted in its entirety.

Buildings shall be designed and constructed in accordance with the 2006 2015 International Energy Conservation Code.

**15.04.070 Section M1601.1.1 amended--Above-ground duct systems.**

Item 2 of Section M1601.1.1 is amended to read as follows:

~~2. Factory-made air ducts shall be constructed of Class (O) or Class 1 materials as designated in Table M1601.1.1(1). Flexible connectors are limited to toilet room and bathroom systems only.~~

**15.04.080 Section M2003.1 amended--Expansion tanks--General.**

The first sentence of Section M2003.1 is amended to read as follows:

~~Hot water boilers and water heaters shall be provided with thermal expansion tanks.~~

**15.04.090 Section G2407.6 (304.6.1) amended--Outdoor combustion air.**

Add a sentence to the end of Section G2407.6 (304.6.1) to read as follows:

~~The room in which the appliances are receiving outdoor combustion air must be thermally isolated from the conditioned space of the dwelling unit or such outside air shall be conditioned prior to entering the dwelling unit or room in which the appliance served is located.~~

**15.04.100 Section G2445.4 G2445 (621) amended--Unvented Room Heaters.**

Section G2445.4 G2445.7 (621.4) is amended to read as follows:

~~Unvented room heaters may not be located in or obtain combustion air from bedrooms or rooms readily used for sleeping purposes, bathrooms, toilet rooms or storage closets.~~

Section G2445 (621) is amended to read as follows:

Unvented room heaters shall not be installed within residential occupancies, or within Groups A, E and I occupancies, or within any sleeping room or room readily used for sleeping purposes, or in any bathroom, toilet room or storage closet. Unvented room heaters may be installed in detached U occupancies associated with residential occupancies. The location of unvented room heaters shall also comply with Section 303.3 of the 2015 IMC.

*[Correct the section number that changed between editions and clarify that the intent]*

**15.04.110 Section ~~P2603.6.1~~ P2603.5.1 amended--Sewer depth.**

Add new sentence at the end of Section ~~P2603.6.1~~ P2603.5.1 to read as follows:

All building sewers shall be a minimum of 44 42 inches (1118 1066.8 mm) below the finished grade, unless existing conditions do not allow such depth, or shall be protected from freezing as specifically approved by the building official.

*[Correct the section number that changed between editions.]*

**15.04.120 Section P2904.1 amended—Dwelling Unit Fire Sprinkler Systems**

Replace the title and first sentence of Section P2904.1.1 to read as follows.

~~P2904.1.1 Required sprinkler locations:~~ SPRINKLERS. ~~Sprinklers shall be installed to protect all areas of a dwelling unit:~~ WHERE SPRINKLERS ARE INSTALLED AS AN OPTION, THEY SHALL BE INSTALLED IN ACCORDANCE WITH THIS CODE TO PROTECT ALL AREAS OF A DWELLING UNIT.

*[Add new section and Deletes the requirement for fire sprinklers in one-and-two family dwellings and requires that any sprinklers installed as an option must be installed to comply with the code.]*

**15.04.125 ~~P2904.4~~ P2904.5 amended--Water service pipe.**

Section ~~P2904.4~~ P2906.4 is amended to read as follows:

Water service pipe shall be Eagle Pure-Core, CTS 200 psi @ 23° C, SDR 9, ASTM D2737, PE 3408, C3 AWWA C-901, or equal, with a minimum bury depth of 5'-0" (1524 mm) for protection against freezing. Piping shall terminate such that it will allow installation of a water meter within 5 feet (1524 mm) of where the piping enters the building or penetrates a slab on grade. Access to the water meter must be provided within 5 feet, unless otherwise approved by the building official.

*[Corrects section numbers that changed between editions.]*

**15.04.130 Section P3103.1 amended--Vent terminals--Roof extensions.**

Section P3103.1 is amended to read as follows:

All open vent pipes which extend through a roof shall be terminated at least 12 inches (305 mm) above the roof or 6 inches (152 mm) above the anticipated snow accumulation, except that where a roof is to be used for any purpose other than weather protection, the vent extensions shall be

run at least 7 feet (2134 mm) above the roof.

**15.04.140 Chapters 34 through 42 43 deleted--Electrical.**

Chapters 33 34 through 42 43 of the International Residential Code are deleted in their entirety. Electrical installations shall be as required by the National Electrical Code as adopted and amended by this chapter.

*[Corrects section numbers that changed between editions.]*

**15.04.150 Sections AE301 through AE303 amended--Permits.**

Sections AE301 through AE303 are deleted in their entirety.

This code shall be administered in accordance with Chapter 1, Administration, of the International Building Code, as adopted and amended by this chapter.

**15.04.200 Adoption.**

The ~~2006~~ 2015 International Building Code, including Appendix Chapters C GROUP U- AGRICULTURAL BUILDINGS, E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS, H SIGNS, I PATIO COVERS, and J GRADING, are adopted by reference and have the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.210 Section 101.1 amended--Title.**

The first paragraph of Section 101.1 is amended to read as follows:

These regulations shall be known as the Building Code of the City of Torrington, hereinafter referred to as "this code."

**15.04.220 Section 102.4. amended--Referenced codes.**

Section 102.4 is amended to read as follows:

The other codes listed in Sections 101.4.1 through 101.4.7 and referenced and amended elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and amendment thereto.

**~~15.04.230 Section 101.4.1 amended--Electrical.~~**

~~Section 101.4.1 of the International Building Code is amended to read as follows:~~

~~The provisions of the National Electrical Code shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings, and appurtenances thereto. Wherever the term ICC Electrical Code appears in the code, it shall be replaced with National Electrical Code.~~

*[Not in Current code.]*

**~~15.04.240 Section 101.4.5 4 amended--Property maintenance.~~**

~~Section 101.4.5 4 is deleted in its entirety.~~

*[Not in Current code.]*

**15.04.250 Section 104.8 amended--Liability.**

Add a new paragraph at the end of Section 104.8 to read as follows:

The city assumes no duty of care by virtue of the adoption or amendment of this code. No person is justified in relying upon the approval of a plan, the results of an inspection, or the issuance of a certificate of inspection or occupancy, and such approvals, inspections, and certificates are not a guarantee that the plan or work so approved, inspected or certified in fact complies with all the requirements of this code. It is the duty of the person owning, controlling, or constructing any building or structure to insure that the work is done in accordance with this code, and it is such persons and not the city who are responsible for damages caused by negligent breach of such duty.

**15.04.255 Section 105.2 amended--Work Exempt from Permit.**

Add to the end of Section 105.5-2(1) (2) to read as follows:

- (1) Floor area not greater than 420 sf to 200 sf.
- (2) Fences not over 7 6 feet high.

*[Add new section and Deletes the requirement for 120 sf to 200 sf. and removes fence height requirement to comply with section 18.96.030 of the Torrington Municipal Code.]*

**15.04.260 Section 105.5 amended--Expiration.**

Add a new paragraph to the end of Section 105.5 to read as follows:

Every permit issued by the building official under the provisions of this code shall expire by limitation and become null and void if the building or work authorized by such permit is not completed and approved for occupancy within three years from the date the permit was issued, or three years from the effective date of the ordinance codified under this section, whichever is later. In order to renew or extend a permit, the applicant shall submit a new permit application with all required submittal documents showing compliance with the codes in effect at the time the new application is received. New permit and plan review fees may be prorated based on the amount of work completed under a previous expired permit.

**15.04.270 Section 108.3 amended--Temporary power.**

Section 407-3 108.3 is amended to read as follows:

The building official is authorized to give permission to temporarily supply and use power in part of an electrical installation before such installation has been fully completed and approved. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat or power in the National Electrical Code.

**15.04.280 Section 408-2 109.2 amended--Schedule of permit fees.**

Section 408-2 109.2 is amended to read as follows:

The fee for each permit shall be as set forth in Appendix L of the International Residential Code. The total building valuation may be reduced by the building official in an amount equal to the valuation included under other permits issued for other elements or systems in the building or structure.

408-2-4 109.2.1 Plan Review Fees: Plan review fees are separate fees and are independent of the permit fees. Plan review fees shall be 67% of the permit fees listed in the referenced Appendix L. When submittal documents are incomplete or changed so as to require additional plan review, or when the project involves deferred submittal items, an additional plan review fee shall be charged at the rate shown in the schedule. Not more than 80% of plan review fees may be refunded after plan submittal but before any portion of the plan has been reviewed. Plan reviews expire 180 days after comments are provided. After expiration, the applicant shall resubmit plans and pay a new plan review fee.

408-2-2 109.2.2 Fee Credit: Building permit fees may be credited up to the value of the plan review fee with the balance of the fee paid at the time of permit issuance.

408-2-3 108.2.3 Fee Refunds: 100% of fees which are erroneously paid or collected may be refunded. Not more than 80% of a building permit fee may be refunded when no work has been done under a permit issued in accordance with this code. Written requests for fee refunds must be made not later than 180 days after the payment of the fee.

*[Adds section numbers.]*

**15.04.290 Section 113 amended--Board of appeals.**

Section 113 is amended to read as follows:

442-4 113.1 General. In order to hear and decide appeals of Administrative Enforcement Orders, decisions or determinations made by the building official relative to the application of this code, there shall be and is hereby created a Board of Appeals. The Board of Appeals shall be appointed by the governing body and shall hold office at its pleasure. The Board shall adopt rules of procedure for conducting its business in accordance with the Administrative Procedure Act under the Wyoming State statutes. The membership of the Board shall consist of five persons, no fewer

*than three of which shall be residents of the city.*

442-2 113.2 Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The Board shall have no authority to waive requirements of this code.

442-3 113.3 Qualifications. The Board of Appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

*[Corrects section numbers that changed between editions.]*

**15.04.300 Section 443-4 114.1 amended--Unlawful acts.**

Add sentence to the end of Section 443-4 114.1 to read as follows:  
Violations of this code are punishable as provided by Chapter 1.12.030 of the Torrington Municipal Code.

*[Corrects section numbers that changed between editions.]*

**15.04.310 Section 1608.1 amended--Snow loads--General.**

Section 1608.1 is amended to read as follows:

The minimum roof snow load shall be thirty pounds per square foot (1.44 kN/m<sup>2</sup>), but the design roof load shall not be less than that determined by Section 1607.

**15.04.320 Section 1608.2 amended--Ground snow loads.**

Section 1608.2 is amended to read as follows:

The minimum ground snow loads to be used in determining the design snow loads for roofs shall be 30 psf (1.44 kN/m<sup>2</sup>).

**15.04.330 Section 1609.3 amended--Basic wind speed.**

Section 1609.3 is amended to read as follows:

The basic wind speed (3-second gust) for the city shall be 90 mph (40 m/s), or as otherwise determined by ASCE 7, Figure 6-1 when using the provisions of ASCE 7.

**15.04.340 Section 1609.4 amended--Exposure category.**

The first paragraph of Section 1609.4 is amended to read as follows:

For each wind direction considered, an exposure category that adequately reflects the characteristics of ground surface irregularities shall be determined for the site at which the building or structure is to be constructed, however the exposure category shall be not less than Exposure C.

**15.04.350 Section 1805-2-4 1809.5 amended--Frost protection.**

Add new sentence to the end of Section 1805-2-4 1809.5.1 to read as follows:

The minimum frost depth shall be not less than 44" 42" (1118 mm) below finished grade.

*[Corrects section numbers that changed between editions.]*

**15.04.360 Section 3410.1 amended--Compliance alternatives--Compliance.**

Add new sentence to the end of Section 3410.1 to read as follows:

The International Existing Building Code is a compliance alternative.

**15.04.370 Section 3410.2 amended--Compliance alternatives--Applicability.**

The first sentence of Section 3410.2 is amended to read as follows:

Structures existing prior to April 02, 1963, in which there is work involving additions, alterations or changes of occupancy, shall be made to conform to the requirements of this section or the provisions of Sections 3403 through 3407.

*[No longer in code]*

**15.04.380 Section J103.2 amended--Permits required--Exemptions.**

Add exemption 8 to Section J103.2 to read as follows:

A grading permit is not required for subdivision development where an approved plan or subdivision agreement is in place, or where written approval has otherwise been obtained for work located entirely within a public right-of-way when approved by the city engineer.

**15.04.400 Adoption.**

The 2006 2015 International Existing Building Code is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.410 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Existing Building Code of the City of Torrington, hereinafter referred to as "this code."

**15.04.420 Section 101.2 amended--Scope.**

Add new sentence to the end of Section 101.2 to read as follows:

The provisions of the National Electrical Code shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances thereto. Wherever the term ICC Electrical Code appears in the code, it shall be replaced with National Electrical Code.

**15.04.430 Sections 103 through 115 amended--Administration.**

Sections 103 through 115 is deleted in its entirety.

This code shall be administered in accordance with Chapter 1, Administration of the International Building Code as adopted and amended by this chapter.

**15.04.440 Section 4204.2 1401.2 amended--Compliance alternatives--Applicability.**

The first sentence of Section 4304.2 1401.2 of the International Existing Building Code is amended to read as follows.

Structures existing prior to April 02, 1963, in which there is work involving additions, alterations or changes of occupancy, shall be made to conform to the requirements of this section or the provisions of Chapters 4 through 42 13.

*[Corrects section numbers that changed between editions & add chapter 13.]*

**15.04.500 Adoption.**

The 2006 2015 International Fire Code, including Appendix B Fire Flow requirements C Fire Hydrant Locations and Distribution D Fire Apparatus Access Roads E Hazard Categories, F Hazard Ranking, G Cryogenic Fluids, I Fire Protection Systems-Non Complaint Conditions J Building Information Sign is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.510 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Fire Code of the City of Torrington, hereinafter referred to as "this code."

**15.04.520 Section ~~402.6~~ 102.7 amended--Reference codes and standards.**

Section ~~402.6~~ 102.7 of the International Fire Code is amended to read as follows:

The referenced National Fire Protection Association (NFPA) standards listed in Chapter 45 80 of the International Fire Code shall be the adopted standard for use within the jurisdiction. The most recently published edition of each individual NFPA standard listed in Chapter 45 80 shall be recognized as standards of good practice which may be enforced by the fire code official whenever other provisions of the code are, at the fire code official's discretion, inadequate or inapplicable to any situation involving the protection of persons and property from the hazards of fire or explosions. All references to the ICC Electrical Code shall be changed to the National Electrical Code as adopted and amended by this chapter. referred to as "this code."

*[Corrects section numbers that changed between editions and changed reference chapter from 45 to 80.]*

**15.04.530 Section 103 amended--Department of Fire Prevention.**

Section ~~402.6~~ 103.1 of the International Fire Code is amended to read as follows:

The building official shall be responsible for the implementation, administration and enforcement of the provision of this code. Everywhere the term "fire code official" is used in this code the same shall be meant to be the building official.

*[Corrects section number.]*

**15.04.540 Section 104.1 amended--Enforcement.**

Section 104.1 of the International Fire Code is amended to read as follows:

This code shall be enforced by the building official when not superseded by the State of Wyoming Department of Fire Prevention and Electrical Safety.

**15.04.550 Section 105 amended--Permits.**

Section 105 is deleted in its entirety.

**15.04.560 Section 107.6 amended--Overcrowding.**

Section 107.6 of the International Fire Code is amended to read as follows:

Overcrowding or admittance of any person beyond the approved capacity of a building or a portion thereof shall not be allowed. The fire code official or designee, upon finding any overcrowding conditions or obstructions in aisles, passageways or other means of egress, or upon finding any condition which constitutes a life safety hazard shall be authorized to cause the event to be stopped until such condition or obstruction is corrected and/or a sworn peace officer may issue a written citation of violation.

*[Corrects section numbers that changed between editions.]*

**15.04.570 Section ~~409.2~~ 109.3 amended--Notice of violation.**

Section ~~409.2~~ 109.3 of the International Fire Code is amended to read as follows:

When the fire code official finds a building, premises, vehicle, storage, facility or outdoor area that is in violation of this code, the fire code official or designee is authorized to prepare a written notice of violation describing the conditions deemed unsafe and, when compliance is not immediate, specifying a time for re-inspection. If the violation is an immediate life safety hazard, including but not limited to overcrowding or an obstructed egress pathway, the fire code official or designee may request a sworn peace officer to issue a written citation of violation for non-compliance, in addition to any other action, permitted under this code by the fire code official or designee.

*[Corrects section numbers that changed between editions.]*

**15.04.580 Section ~~409.3~~ 109.4 amended--Violation penalties.**

**Section 109.3 109.4 is amended to read as follows:**

Persons who shall violate a provision of this code or shall fail to comply with any the requirements thereof or who shall erect, install, alter, repair or do work in violation of the approved construction documents or directive of the fire code official, or of a permit or certificate used under provisions of this code, shall be guilty of a misdemeanor, punishable by a fine not less than fifty dollars nor more than seven hundred fifty dollars in accordance with Chapter 1.12.030 of the Torrington Municipal Code. Each day that a violation continues shall be deemed a separate offense.

**15.04.590 Section 111.4 amended--Failure to comply.**

Section 111.4 is amended to read as follows:

Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by Chapter 1.12.030 of the Torrington Municipal Code.

**15.04.600 Section 202 amended--General Definitions.**

Section 202 of the International Fire Code is amended to read as follows:

FIRE CODE OFFICIAL. The Building Official.

**Look at Chapter 3 of the IFC Emergency Preparedness Requirements (All New)**

**15.04.610 Sections 508.3 507.3 amended--Fire flow.**

Section 508.3 507.3 is amended to read as follows:

A. An approved water supply capable of supplying required fire flow for fire protection shall be provided to all premises upon which facilities, buildings or portions of buildings are hereafter constructed or moved into or within the jurisdiction. When any portion of the building protected is in excess of 150 feet, as measured by an approved route around the exterior of the facility or building, from a public street or approved fire department access roadway on which a water supply meeting requirements is provided there shall be provided, when required by the Building Official, on-site fire hydrants and mains capable of supplying the required fire flow.

B. Water supply may consist of reservoirs, pressure tanks, elevated tanks, water mains or other fixed system capable of supplying their required fire flow. Minimum standards for fire flow shall be as follows:

1. Zones CS, C1, C2, C3, I1, I2, and IP - 4,000 gallons per minute;
2. Zones R4, R5, R6, R6A, and C1A - 3,000 gallons per minute; and
3. Zones AL, RS, R1, R2, R2A, R3, and MP - 1,500 gallons per minute

*[Corrects section numbers that changed between editions.]*

**15.04.620 Sections 508.5 507.5 amended--Fire hydrant systems.**

Section 508.5 507.5 is amended to read as follows:

A. The location, number and type of fire hydrants connected to a water supply capable of delivering the required fire flow shall be provided on the public street or on the site of the premises to be protected as required and approved by the Building Official. All hydrants shall be accessible to the fire department apparatus by roadways meeting the requirements of International Fire Code.

B. Section 503 507.5 Minimum standards for placement and spacing of fire hydrants shall be as follows:

1. Zones AL, RS, R1, R2, R2A, R3, and MP - no point on a city street or approved fire department vehicle access roadway serving the structure shall be more than 400 feet from a fire hydrant. Fire hydrants shall be placed no more than 800 feet apart.
2. Zones R4, R5, R6, R6A, and C1A - no point on a city street or approved fire department vehicle access roadway serving the structure shall be more than 250 feet from a fire hydrant. Fire hydrants shall be placed no more than 500 feet apart.
3. Zones CS, C1, C2, C3, I1, I2, and IP - no point on a city street or approved fire department vehicle access roadway serving the structure shall be more than 200 feet

*from a fire hydrant. Fire hydrants shall be placed no more than 400 feet apart.*

4. Hydrants shall be placed at intersections whenever possible.
5. When on a divided highway, a hydrant shall be placed on each side of said highway.
6. Fire hydrants shall be placed no more than 1,000 feet apart along roadways serving undeveloped areas whenever new water lines are laid or old water lines replaced.
7. Before any construction involving combustible materials in any subdivision may begin:
  - a. All fire hydrants shall be operational, shall have been flushed and operated, and shall have been inspected and approved by City of Torrington Water or Engineering Department inspectors; and
  - b. Streets shall be provided with all-weather driving surfaces able to support the imposed weight fire department apparatus.
8. Fire hydrants shall be installed and maintained so that the breakaway flange is within two inches of the finished grade.
9. The Building Official, or other fire code official as appointed and approved by the Mayor, shall determine fire flow and duration requirements for structures based upon standards contained in 2006 International Fire Code Appendix B and/or the Insurance Service Office Commercial Grading Schedule. Installation and material specifications for fire lines and fire hydrants shall be in accordance with Torrington Public Works standards as determined by the City Engineer.
10. Appendix Chapters B (Fire Flow Requirements for Buildings) and C (Fire Hydrant Locations and Distribution) of the 2006 International Fire Code shall be recognized as standards of good practice which may be enforced by the Building Official, or other fire code official as appointed and approved by the Mayor, whenever other provisions of the code are, at the determining official's discretion, inadequate or inapplicable to any situation involving the protection of persons and property from the hazards of fire or explosions.

*[Corrects section numbers that changed between editions.]*

**15.04.630 Section ~~3204.3.1.1~~ 5504 amended--Storage--Location.**

Add the following paragraph to the end of Section ~~3204.3.1.1~~ 5504.1 to read as follows:

The ~~limits in which the~~ storage of flammable cryogenic fluids in stationary containers is prohibited in these zones are established as follows: AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.640 Section ~~3304.2.3~~ 5601.2.3 amended--Permit restrictions--Storage of explosives and blasting agents.**

Section ~~3304.2.3~~ 5601.2.3 is amended to read as follows:

Storage of explosives and blasting agents is prohibited within the corporate limits of the city.

*[Corrects section numbers that changed between editions.]*

**15.04.650 Section ~~3404.2.9.5.1~~ 5704.2.9.5 amended--Storage--Locations where above-ground tanks are prohibited.**

Add the following paragraphs to the end of Section ~~3404.2.9.5.1~~ 5704.2.9.5 to read as follows:

New bulk plants for the storage of flammable or combustible liquids are prohibited within the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

The limits where the storage of flammable or combustible liquids in outside above-ground tanks is prohibited, are established as the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.660 Section 3406.2.4.4 5706 amended--Special operations--Locations where above-ground tanks are prohibited.**

Add the following paragraphs to the end of Section 3406.2.4.4 5706.2.4.4 to read as follows:

New bulk plants for the storage of flammable or combustible liquids are prohibited within the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

The limits where the storage of flammable or combustible liquids in outside above-ground tanks is prohibited, are established as the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.670 Section 3406.4 5706.4 amended--Bulk plants or terminals.**

Add the following paragraph to the end of Section 3406.4 5706.4 to read as follows:

New bulk plants for the storage of Class I or Class II liquids are prohibited within the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.680 Section 3804.2 6104.2 amended--Location of containers--Maximum capacity within established limits.**

Add the following paragraph to the end of Section 3804.2 6104.2 to read as follows:

The geographic limits as to the storage of liquefied petroleum gas is restricted for the protection of heavily populated or congested areas are established as follows: AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones. Containers of liquefied petroleum gas in these zones shall not exceed 100 gallons.

*[Corrects section numbers that changed between editions.]*

**15.04.700 Adoption.**

The 2006 2015 International Energy Conservation Code is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.710 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

The regulations shall be known as the Energy Conservation Code of the City of Torrington, and shall be cited as such. It is referred to herein as "this code."

**15.04.720 Section 101.2 amended--Scope.**

Add a new paragraph to the end of Section 101.2 of the International Energy Conservation Code to read as follows:

All references to ICC Electrical Code throughout the International Energy Conservation Code shall be changed to National Electrical Code.

*[No longer in code.]*

**15.08.010 Adoption.**

The 2006 2015 International Plumbing Code, including Appendix Chapters E, is adopted by reference and have the same force and effect as though fully set forth in this chapter, except as

*specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.*

**15.08.020 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the International Plumbing Code of the City of Torrington hereinafter referred to as "this code."

**15.08.030 Section 108.4 amended--Violation penalties.**

Section 108.4 is amended to read as follows:

Any person who violates a provision of this code or fails to comply with any the requirements thereof or who shall erect, install, alter or repair plumbing work in violation of the approved construction documents or directive of the code official shall be subject to the penalties prescribed by Chapter 01.12.030 of the Torrington Municipal Code. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

**15.08.040 Section 108.5 amended--Stop work orders.**

Section 108.5 is amended to read as follows:

Any person who shall continue any work in or about a structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by the Torrington Municipal Code.

**15.08.050 Section 603.2 amended--Separation of water service and building sewer.**

Add a new sentence after the exceptions to Section 603.2 to read as follows:

The minimum separation of the water service and building sewer at the property line shall be in accordance with the City of Torrington standards.

Stay or go with what's in the code?

**15.08.060 Section 605.3 amended--Water service pipe.**

Add the following paragraph to the end of Section 605.3 of the International Plumbing Code.

Water service pipe shall be Eagle Pure-Core, CTS 200 psi @ 23° C, SDR 9, ASTM D2737, PE 3408, C3 AWWA C-901, or equal, with a minimum bury depth of 5'-0" (1,524 mm) for protection against freezing. Such piping shall terminate such that it will allow installation of a water meter within 5 feet (1,524 mm) of where the piping enters the building or penetrates a slab on grade. Access to the water meter must be provided within 5 feet, unless otherwise approved by the building official.

**15.08.070 Section 610 amended--Disinfection of potable water system.**

Section 610 is deleted in its entirety.

**15.08.075 Section 703.3 amended- Sanitary and Storm Sewers.**

Section 703.3 is amended to read as follows:

Where separate systems of sanitary drainage and storm drainage are installed in the same property, the sanitary and storm building sewers or drains shall not be permitted to be laid side by side in one trench. There pipes shall have a min of 5' separation in all directions.

**15.08.080 Section 703.6 amended- Combined Sanitary and Storm Public Sewers.**

Section 703.6 is amended to read as follows:

**Combined Sanitary and Storm Public Sewers is prohibited within the corporate limits of the city**

**Add New Chapters 13-14**

**15.08.100 Adoption.**

The 2006 2015 International Fuel Gas Code, is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.08.110 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Fuel Gas Code of the City of Torrington hereinafter referred to as "this code."

**15.08.120 Sections 103 through 104--Administration.**

Sections 103 through 104 of the International Fuel Gas Code are deleted in their entirety.

The intention is that this code be administered in accordance with the administrative provisions of the International Building Code, as adopted and amended by this title.

**15.08.130 Section 108.4 amended--Violation penalties.**

Section 108.4 is amended to read as follows:

Any person who violates a provision of this code or fails to comply with any the requirements thereof or who shall erect, install, alter, use or repair plumbing work in violation of the approved construction documents or directive of the code official shall be subject to the penalties prescribed by the Torrington Municipal Code. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

**15.08.140 Section 108.5 amended--Stop work orders.**

Section 108.5 is amended to read as follows:

Any person who shall continue any work in or about a structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by the Torrington Municipal Code.

**15.08.150 Section 109.1 amended--Means of appeal--General.**

Section 109.1 is amended to read as follows:

General. In order to hear and decide appeals of orders, decisions or determinations made by the building official relative to the application and interpretation of the code, there shall be and is hereby created a board of appeals. The board of appeals shall be appointed by the governing body and shall hold office at its pleasure. The board shall adopt rules of procedure for conducting its business. The board shall be known as the Building Code Board of Appeals.

Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The board shall have no authority to waive requirements of this code.

The board of appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

**15.08.160 Sections 109.2 through 109.7 amended--Means of appeal.**

Sections 109.2 through 109.7 are deleted in their entirety.

**15.08.170 Section 621.4 amended--Prohibited locations.**

Section 621.4 is amended to read as follows:

Unvented room heaters shall not be installed within residential occupancies, or within Groups A, E and I occupancies, or within any sleeping room or room readily used for sleeping purposes, or in any bathroom, toilet room or storage closet. Unvented room heaters may be installed in detached U occupancies associated with residential occupancies. The location of unvented room heaters shall also comply with Section 303.3.

**15.08.200 Adoption.**

The 2006 2015 International Mechanical Code, including Appendix A, is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.08.210 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Mechanical Code of the City of Torrington hereinafter referred to as "this code."

**15.08.220 Sections 103 and 104 amended--Administration.**

Sections 103 and 104 of the International Mechanical Code are deleted in their entirety. It is intended that the code be administered in accordance with the International Building Code, as adopted and amended by this title.

**15.08.230 Section 108.4 amended--Violation penalties.**

Section 108.4 is amended to read as follows:

Any person who violates a provision of this code or fails to comply with any the requirements thereof or who shall erect, install, alter, use or repair mechanical work in violation of the approved construction documents or directive of the code official shall be subject to the penalties prescribed by Chapter 1.12.030 of the Torrington Municipal Code. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

**15.08.240 Section 108.5 amended--Stop work orders.**

Section 108.5 is amended to read as follows:

Any person who shall continue any work in or about a structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by Chapter 1.12.030 of the Torrington Municipal Code.

**15.08.250 Section 109.1 amended--Means of appeal--General.**

Section 109.1 is amended to read as follows:

General. In order to hear and decide appeals of orders, decisions or determinations made by the building official relative to the application and interpretation of the code, there shall be and is hereby created a board of appeals. The board of appeals shall be appointed by the governing body and shall hold office at its pleasure. The board shall adopt rules of procedure for conducting its business. The board shall be known as the Building Code Board of Appeals.

**15.08.260 Section 109.1.1 amended--Limitations on authority.**

Section 109.1.1 is amended to read as follows:

Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The board shall have no authority to waive requirements of this code.

**15.08.270 Section 109.2 amended--Qualifications.**

Section 109.2 is amended to read as follows:

Qualifications. The board of appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

**15.08.280 Sections 109.2 through 109.7 amended--Means of appeal.**

Sections 109.2 through 109.7 are deleted in their entirety.

**15.08.300 Section 304.7 301.10 amended--Electrical.**

Section 304.7 301.10 of the International Mechanical Code is amended to read as follows:

Electrical wiring, and controls and connections to equipment and appliances regulated by this code shall be in accordance with the National Electrical Code.

*[Corrects section numbers that changed between editions. The National Electrical Code is adopted by reference by this ordinance.]*

**Section 4.** That Chapter 15.12 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby amended and re-enacted to read as follows:

**15.12.010 Adoption.**

~~The 2008~~ **2015** National Electrical Code is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.12.020 Article 90.4 amended--Enforcement.**

Article 90.4 of the National Electrical Code is amended to read as follows:

This code shall be administered in accordance with Chapter 1, Administration, of the International Building Code as adopted and amended by this Chapter. Fees shall be as indicated by the building permit and plan review fee schedule.

**15.12.030 Article 230.2(B) amended--Special occupancies.**

Add Subsection 3 to Article 230.2(B) to read as follows:

Fire areas separated by a minimum two-hour fire wall as defined by the building code may be considered as separate buildings for the purpose of calculating the number of services when approved in advance by the building official.

~~**15.12.040 Article 230.32 amended--Protection against damage.**~~

~~Add new paragraph to the end of Article 230.32 to read as follows:~~

~~Where direct buried conductors, raceways, or cables under 400 amperes are subject to movement by settlement or frost, they shall be arranged to prevent damage to the enclosed conductors or equipment connected to the raceways. A weatherproof 12x18x6 inch (305x457x152) Nema 3R junction box with a sealing hasp must be provided below the meter housing. A minimum of 24 inches (610 mm) of conductors from the meter housing are required to be coiled in the junction box for connection by the electric utility. An expansion joint must be installed between the junction box and grade. If the raceway under the junction box passes through a concrete slab before grade, a sleeve is required through the slab to allow free movement of the raceway.~~

*[Removes an unnecessary requirement for protection of conductors where ground settling may occur.]*

**15.12.050 Permits.**

Permits for the installation, alteration and repair of electrical wiring, appliances or equipment, shall be as required by the State of Wyoming Department of Fire Prevention and Electrical Safety and shall be issued only to a person meeting the requirements set forth by that agency for the work being conducted.

**Section 5.** That Chapter 15.16 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby amended and re-enacted to read as follows:

**15.16.100 Adoption.**

The 1997 Uniform Code for the Abatement of Dangerous Buildings is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.16.110 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Code for Abatement of Dangerous Buildings of the City of Torrington, hereinafter referred to as "this code."

**15.16.120 Section 201.3 amended--Right-of-entry.**

Add new sentence to the end of the first paragraph of Section 201.3 to read as follows:

In cases of emergency where there is believed to be imminent danger to any person the building official may enter any property to make any necessary inspections under this code or to take any other action authorized by this code without permission or warrant.

**15.16.130 Section 203 amended--Violations.**

Add new sentence to the end of Section 203 to read as follows:

No owner or person having charge or control over any building or premises shall fail to comply

*with any order issued to such person under this code.*

**15.16.140 Section 302 amended--Dangerous building.**

The first sentence of Section 302 is amended to read as follows:

For the purposes of this code, any building or structure which has any or all of the conditions or defects hereinafter described shall be considered to be a dangerous building.

**15.16.150 Section 401.2 4. Amended--Notice and order.**

Subsection 4 of Section 401.2 is amended to read as follows:

Statements advising that if any required repair or demolition work (without vacation also being required) is not commenced within the time specified, the building official (i) will order the building vacated and posted to prevent further occupancy until the work is completed, (ii) may proceed to cause the work to be done and charge the costs thereof against the property or its owner, and (iii) may cause a summons and complaint to be served upon the property owner or any person having charge or control over the building or premises for failure to make the required repairs or demolition within the specified time.

**15.16.160 Section 801.1 amended--Performance of work of repair or demolition--Procedure.**

Section 801.1 is amended to read as follows:

When any work of repair or demolition is to be done pursuant to Section 701.3, Item 3, of this code, the building official shall arrange to have the work performed by personnel of this jurisdiction or by private contract under direction of the building official. Plans and specifications therefore may be prepared by the building official, or the building official may employ such architectural or engineering assistance on a contractual basis as deemed necessary. If any of the work is to be accomplished by private contract, standard public works contractual procedures shall be followed, unless such work is deemed to be an emergency.

**15.16.170 Section 801.2 amended--Costs.**

Section 801.2 is amended to read as follows:

A statement of the cost of such work, plus fifteen percent for administrative overhead, shall be billed to the record owner of the property. If not paid within thirty days of the billing it shall be transmitted to the city council who, upon approval, shall cause the same to be paid as a special assessment against the property. Costs incurred shall be paid out of the city treasury. Such costs shall be charged to the owner of the property or premises involved as a special assessment on the land on which the building or structure is located, and shall be collected in the manner prescribed for special assessments.

**15.16.180 Section 802 amended--Repair and demolition fund.**

Section 802 is deleted in its entirety.

**15.16.190 Chapter 9 amended--Recovery of cost of repair or demolition.**

Chapter 9 is deleted in its entirety.

**Section 6.** That Chapter 15.21 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby deleted in its entirety.

**Section 7.** This ordinance shall be in full force and effect from and after its passage and approval and publication as required by law.

Passed and approved on first reading this 1<sup>st</sup> day of November, 2016.

Passed and approved on second reading this 14<sup>th</sup> day of November, 2016.

Passed and approved on third reading this 6<sup>th</sup> day of December, 2016.

ATTEST:

\_\_\_\_\_  
Mike Varney, Mayor

\_\_\_\_\_  
Lynn Kinnan, Deputy City Clerk

## 2017 GOLF RATES

	<i>RESIDENT</i>	<i>NON-RESIDENT</i>
Junior/Student	\$ 153.00	\$ 153.00
Single	\$ 423.00	\$ 459.00
Couple	\$ 637.00	\$ 673.00
*Family	\$ 712.00	\$ 750.00
College Student (12 Credit Hours) Under 26 Years of age	\$ 153.00	\$ 153.00
Senior 60 Years and Older	\$ 400.00	\$ 428.00

### Daily Fees

9 Holes (7 days a week)	\$ 17.00	\$ 17.00
18 Holes (7 days a week)	\$ 27.00	\$ 27.00

### Tournaments

Weekdays - Guest	\$ 16.00	\$ 16.00
Weekends - Guest	\$ 21.00	\$ 21.00

### Trail Fees

Annual License	\$ 175.00	\$ 175.00
Daily	\$ 15.00	\$ 15.00

### Golf Cart Rental

9 Holes (Per Rider)	\$ 8.00	\$ 8.00
18 Holes (Per Rider)	\$ 12.00	\$ 12.00

### East & West Golf Cart Sheds

Gas	\$ 125.00	\$ 125.00
Electric	\$ 150.00	\$ 150.00

### Driving Range Fees

Couple Range Fees	\$ 270.00	\$ 270.00
*Family Range Pass	\$ 310.00	\$ 310.00
Junior Range Pass	\$ 133.00	\$ 133.00
Annual Adult (One person range pass)	\$ 220.00	\$ 220.00
College Student (Under age 26) 12 credit hours	\$ 158.00	\$ 158.00

### Bucket Balls

Large (60)	\$ 6.00	\$ 6.00
Small (30)	\$ 4.00	\$ 4.00

\*Family members 18 years and under living at home, not married (annual family golf and range pass)

## Report Criteria:

Detail report.  
Invoices with totals above \$0.00 included.  
Paid and unpaid invoices included.

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>21ST CENTURY EQUIPMENT LLC</b>									
1002	21ST CENTURY EQUIPM	P24628	Invoi	grease x2	51-75-660	10/25/2016	6.10	.00	
Total 21ST CENTURY EQUIPMENT LLC:							6.10	.00	
<b>AIR-SYSTEMS ENGINEERING, INC.</b>									
1259	AIR-SYSTEMS ENGINEE	10266	Invoi	combustion adjmnt to pool boiler	57-40-710	10/21/2016	264.00	.00	
Total AIR-SYSTEMS ENGINEERING, INC.:							264.00	.00	
<b>BELL LUMBER &amp; POLE COMPANY</b>									
1700	BELL LUMBER & POLE C	INV59077	Invoi	wood utility pole-stock x20	53-14100	10/03/2016	5,360.00	.00	
Total BELL LUMBER & POLE COMPANY:							5,360.00	.00	
<b>BENCHMARK OF TORRINGTON</b>									
1710	BENCHMARK OF TORRIN	21016	Invoi	city shop dentention pond cnstrctn	10-61-330	10/04/2016	3,721.50	.00	
Total BENCHMARK OF TORRINGTON:							3,721.50	.00	
<b>BLOEDORN LUMBER COMPANY-TORRINGTON</b>									
1826	BLOEDORN LUMBER CO	3256488	Invoi	landsape timber, yard edging, bit,	51-75-760	10/05/2016	10.98	.00	
1826	BLOEDORN LUMBER CO	3258468	Invoi	4x4-12' treated lumber x 2	10-52-700	10/06/2016	38.60	.00	
1826	BLOEDORN LUMBER CO	3258536	Invoi	bolts x 2	10-52-700	10/06/2016	4.98	.00	
1826	BLOEDORN LUMBER CO	3259521	Invoi	carriage bolt	10-52-700	10/07/2016	2.49	.00	
1826	BLOEDORN LUMBER CO	3260410	Invoi	200 hook ceiling track X 5cd	10-52-700	10/07/2016	13.45	.00	
1826	BLOEDORN LUMBER CO	3265145	Invoi	pop-up half sprinkler head x 2	10-52-700	10/10/2016	10.98	.00	
1826	BLOEDORN LUMBER CO	3269119	Invoi	4" grinding wheel x4	51-75-220	10/12/2016	14.36	.00	
1826	BLOEDORN LUMBER CO	3271364	Invoi	garden hoe	10-52-700	10/13/2016	9.99	.00	
1826	BLOEDORN LUMBER CO	3282125	Invoi	mop head & mop	10-52-700	10/19/2016	11.69	.00	
Total BLOEDORN LUMBER COMPANY-TORRINGTON:							117.52	.00	
<b>BOMGAARS SUPPLY INC</b>									
1900	BOMGAARS SUPPLY INC	54234831	Invoi	rv antifreeze x3	57-40-700	09/16/2016	8.97	.00	
1900	BOMGAARS SUPPLY INC	54234937	Invoi	screws	53-82-770	09/16/2016	8.79	.00	
1900	BOMGAARS SUPPLY INC	54235942	Invoi	starting fluid	10-60-660	09/20/2016	5.98	.00	
1900	BOMGAARS SUPPLY INC	54236739	Invoi	hydraulic fluid x2	54-40-710	09/23/2016	35.98	.00	
1900	BOMGAARS SUPPLY INC	54236768	Invoi	ball valve, bushing	51-75-765	09/23/2016	27.68	.00	
1900	BOMGAARS SUPPLY INC	54238931	Invoi	starter fertilizer	10-52-700	09/30/2016	10.99	.00	
1900	BOMGAARS SUPPLY INC	54239685	Invoi	packaged kerosene x 2	54-40-660	10/03/2016	69.98	.00	
1900	BOMGAARS SUPPLY INC	54240028	Invoi	bait station, trap	56-40-700	10/04/2016	14.98	.00	
1900	BOMGAARS SUPPLY INC	54240291	Invoi	rv antifreeze x24, clevis, caster, in	56-40-700	10/05/2016	124.69	.00	
1900	BOMGAARS SUPPLY INC	54240553	Invoi	twist tie, chisel	52-40-220	10/06/2016	18.98	.00	
1900	BOMGAARS SUPPLY INC	54240820	Invoi	stones, rplcmnt chains, floor jack,	54-45-220	10/07/2016	221.95	.00	
1900	BOMGAARS SUPPLY INC	54242315	Invoi	antifreeze x6/winterize bathrooms	10-65-700	10/12/2016	23.94	.00	
Total BOMGAARS SUPPLY INC:							572.91	.00	
<b>CANON FINANCIAL SERVICES, INC</b>									
2141	CANON FINANCIAL SERV	16596489	Invoi	reoccurring copier contract 006-co	53-81-500	10/13/2016	180.00	.00	
2141	CANON FINANCIAL SERV	16596489A	Invoi	reoccurring copier contract 006-co	53-81-500	10/13/2016	180.00	.00	
2141	CANON FINANCIAL SERV	16596489B	Invoi	documentation fee-court copier	53-81-500	10/13/2016	85.00	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total CANON FINANCIAL SERVICES, INC:							445.00	.00	
<b>CHICAGO LUMBER COMPANY OF OMAHA</b>									
2290	CHICAGO LUMBER COM	2761350	Invoi	residential smoke alarms x24	10-55-730	10/21/2016	84.00	.00	
Total CHICAGO LUMBER COMPANY OF OMAHA:							84.00	.00	
<b>CITIBANK, N.A.</b>									
2372	CITIBANK, N.A.	38090T	Invoi	filler capx2, 18" bar, chain	59-40-710	10/10/2016	85.96	.00	
Total CITIBANK, N.A.:							85.96	.00	
<b>CITY OF TORRINGTON</b>									
2375	CITY OF TORRINGTON	101916	Invoi	payroll withholding-c.powell,m.joh	10-22790	10/19/2016	32.01	32.01	10/19/2016
2375	CITY OF TORRINGTON	101916A	Invoi	payroll withholding -golf	10-22790	10/19/2016	70.00	70.00	10/19/2016
2375	CITY OF TORRINGTON	101916B	Invoi	payroll withholding -utilities	10-22790	10/19/2016	138.52	138.52	10/19/2016
Total CITY OF TORRINGTON:							240.53	240.53	
<b>CITY OF TORRINGTON c/o PINNACLE BANK</b>									
6125	CITY OF TORRINGTON c/	1116HEALTH	Invoi	11/16 health reserve non-insured	10-22760	10/25/2016	11,157.07	11,157.07	10/26/2016
Total CITY OF TORRINGTON c/o PINNACLE BANK:							11,157.07	11,157.07	
<b>CITY SERVICE VALCON LLC</b>									
2373	CITY SERVICE VALCON L	0155607	Invoi	6000 gallons Aviation Gas	55-40-670	10/24/2016	20,842.15	.00	
Total CITY SERVICE VALCON LLC:							20,842.15	.00	
<b>COLLER INDUSTRIES INCORPORATED</b>									
2480	COLLER INDUSTRIES IN	481324A	Invoi	name tags-bunker gear locker roo	10-55-830	10/20/2016	114.75	.00	
Total COLLER INDUSTRIES INCORPORATED:							114.75	.00	
<b>DANA KEPNER COMPANY, INC</b>									
2901	DANA KEPNER COMPAN	2224441-00	Invoi	safety break couplingx2,set screw	51-75-760	10/07/2016	155.00	.00	
2901	DANA KEPNER COMPAN	2224467-00	Invoi	12" pvc check valve, 12"couplingx	52-40-730	10/13/2016	351.00	.00	
2901	DANA KEPNER COMPAN	2224474-00	Invoi	extension sections for 5-1/4" hyds.	51-75-760	10/13/2016	328.11	.00	
2901	DANA KEPNER COMPAN	2224474-01	Invoi	extension sectionsx3	51-75-760	10/19/2016	1,115.54	.00	
2901	DANA KEPNER COMPAN	2224474-02	Invoi	12" extension barrel	51-75-760	10/25/2016	320.00	.00	
2901	DANA KEPNER COMPAN	2224512-00	Invoi	1" brass plugx12, 6x1" saddlex2	51-14100	10/20/2016	322.00	.00	
2901	DANA KEPNER COMPAN	2224512-01	Invoi	1" insert stiffner x 100	51-14100	10/25/2016	225.00	.00	
2901	DANA KEPNER COMPAN	2224529-00	Invoi	6" hyd ext for 4-1/2" centurion	51-75-760	10/20/2016	321.23	.00	
2901	DANA KEPNER COMPAN	2224541-00	Invoi	4" stargrip os rest for dip w/access	51-14100	10/17/2016	780.00	.00	
2901	DANA KEPNER COMPAN	2224583-00	Invoi	mtr flangesX15,24gskts,50washer	51-73-790	10/26/2016	782.15	.00	
Total DANA KEPNER COMPANY, INC:							4,700.03	.00	
<b>DENT, DAVID A</b>									
3012	DENT, DAVID A	101916	Invoi	golf pro payable	56-20300	10/19/2016	1,289.00	1,289.00	10/19/2016
Total DENT, DAVID A:							1,289.00	1,289.00	
<b>DON HAUGHT INC</b>									
3151	DON HAUGHT INC	17662620	Invoi	unplugged kitchen sink	10-55-700	10/15/2016	207.50	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total DON HAUGHT INC:							207.50	.00	
<b>ELXSI</b>									
3413	ELXSI	468786	Invoi	gxp software enhanced support pl	52-40-300	10/26/2016	1,800.00	.00	
Total ELXSI:							1,800.00	.00	
<b>EMERGENCY MEDICAL PRODUCTS INC</b>									
3448	EMERGENCY MEDICAL P	1860865	Invoi	king airways 2.5 x 3	58-40-890	10/18/2016	98.85	.00	
Total EMERGENCY MEDICAL PRODUCTS INC:							98.85	.00	
<b>ENERGY LABORATORIES, INC</b>									
3458	ENERGY LABORATORIE	34915	Invoi	lab testing / pwsid 5600164C	51-72-420	10/17/2016	72.00	.00	
3458	ENERGY LABORATORIE	34939	Invoi	lab testing / process control	51-72-420	10/17/2016	27.00	.00	
3458	ENERGY LABORATORIE	34942	Invoi	lab testing / process control	52-40-830	10/17/2016	176.00	.00	
3458	ENERGY LABORATORIE	34943	Invoi	lab testing-outfall / permit WY002	52-40-830	10/17/2016	206.00	.00	
3458	ENERGY LABORATORIE	34944	Invoi	lab test/process control-prison effl	52-40-830	10/17/2016	226.00	.00	
3458	ENERGY LABORATORIE	34960	Invoi	lab testing / pwsid 5600164C	51-72-420	10/17/2016	27.00	.00	
Total ENERGY LABORATORIES, INC:							734.00	.00	
<b>EVERGREEN CAISSONS, INC</b>									
10080	EVERGREEN CAISSONS,	101716	Invoi	water meter deposit return	51-22910	10/17/2016	1,400.00	.00	
10080	EVERGREEN CAISSONS,	101716	Invoi	water usage	51-37-110	10/17/2016	921.63-	.00	
Total EVERGREEN CAISSONS, INC:							478.37	.00	
<b>FAMILY SUPPORT REGISTRY</b>									
3565	FAMILY SUPPORT REGIS	101916	Invoi	PAYROLL WITHHOLDING	10-22705	10/19/2016	235.97	235.97	10/19/2016
Total FAMILY SUPPORT REGISTRY:							235.97	235.97	
<b>FARWEST LINE SPECIALTIES,LLC</b>									
3572	FARWEST LINE SPECIAL	219447	Invoi	septor water-resistant head lamp	53-82-670	10/17/2016	234.71	.00	
3572	FARWEST LINE SPECIAL	219638	Invoi	balacava, fleece cap, knit beanie	53-82-530	10/20/2016	471.96	.00	
Total FARWEST LINE SPECIALTIES,LLC:							706.67	.00	
<b>FERGUSON ENTERPRISES INC</b>									
3595	FERGUSON ENTERPRIS	0644632	Invoi	bonet repair kit-hydrant rpr parts	51-75-760	10/19/2016	498.75	.00	
Total FERGUSON ENTERPRISES INC:							498.75	.00	
<b>GE BETZ, INC</b>									
3838	GE BETZ, INC	98455764	Invoi	chemical management-prison	51-75-765	10/08/2016	7,748.79	7,748.79	10/26/2016
Total GE BETZ, INC:							7,748.79	7,748.79	
<b>GOSHEN COUNTY SENIOR FRIENDSHIP</b>									
3970	GOSHEN COUNTY SENI	101916	Invoi	annual matching funds contributio	10-67-220	10/19/2016	9,000.00	.00	
Total GOSHEN COUNTY SENIOR FRIENDSHIP:							9,000.00	.00	
<b>GREAT-WEST LIFE &amp; ANNUITY INSURANCE CO</b>									
4075	GREAT-WEST LIFE & AN	101916	Invoi	payroll withholding	10-22800	10/19/2016	1,575.62	1,575.62	10/19/2016

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total GREAT-WEST LIFE & ANNUITY INSURANCE CO:							1,575.62	1,575.62	
<b>HAROLD, STEVE</b>									
59	HAROLD, STEVE	102016	Invoi	double cemetery lot sold back to c	59-30-100	10/20/2016	700.00	.00	
Total HAROLD, STEVE:							700.00	.00	
<b>HAWKINS, INC</b>									
4376	HAWKINS, INC	3965915	Invoi	Sdm hydrxde-52gal,55gal blue dr	52-40-820	10/12/2016	1,002.60	.00	
Total HAWKINS, INC:							1,002.60	.00	
<b>HD SUPPLY FACILITIES MAINTENANCE LTD</b>									
4354	HD SUPPLY FACILITIES	084763	Invoi	diffusr install bushingx160	52-40-700	10/13/2016	1,262.10	.00	
Total HD SUPPLY FACILITIES MAINTENANCE LTD:							1,262.10	.00	
<b>HEALTHSMART BENEFIT SOLUTIONS, INC</b>									
4385	HEALTHSMART BENEFIT	8821116	Invoi	PAYROLL WITHHOLDING-Unit#8	10-22770	10/26/2016	208.00	208.00	10/26/2016
Total HEALTHSMART BENEFIT SOLUTIONS, INC:							208.00	208.00	
<b>HYATT, CHARLES H</b>									
4558	HYATT, CHARLES H	2016MARKING	Invoi	2016 markings project/stripping	10-60-790	10/25/2016	828.90	.00	
Total HYATT, CHARLES H:							828.90	.00	
<b>INBERG-MILLER ENGINEERS</b>									
4657	INBERG-MILLER ENGINE	16872CW06	Invoi	Landfill #2 - design & permit rene	54-45-740	10/10/2016	61,200.12	.00	
Total INBERG-MILLER ENGINEERS:							61,200.12	.00	
<b>KAUFMAN, LARRY A.</b>									
4940	KAUFMAN, LARRY A.	112795	Invoi	1 pc gray plastic-installed	58-40-680	10/24/2016	30.00	.00	
Total KAUFMAN, LARRY A.:							30.00	.00	
<b>LORMAN BUSINESS CENTER, INC</b>									
5258	LORMAN BUSINESS CEN	3025653-1	Invoi	wy conctrcts & procurement reg ma	51-75-690	10/14/2016	95.73	.00	
Total LORMAN BUSINESS CENTER, INC:							95.73	.00	
<b>MATTHEWS, CANDICE</b>									
57	MATTHEWS, CANDICE	18.01067.11 10	Invoi	final billing - deposit return	53-22900	10/19/2016	91.04	.00	
Total MATTHEWS, CANDICE:							91.04	.00	
<b>MBKEM ENTERPRISE</b>									
5350	MBKEM ENTERPRISE	234090-1	Invoi	rprd commerical overhead door, b	54-40-700	10/21/2016	448.53	.00	
Total MBKEM ENTERPRISE:							448.53	.00	
<b>MERIDIAN TRUST FEDERAL CREDIT</b>									
5449	MERIDIAN TRUST FEDER	101916	Invoi	PAYROLL WITHHOLDING	10-22780	10/19/2016	3,165.00	3,165.00	10/19/2016
Total MERIDIAN TRUST FEDERAL CREDIT:							3,165.00	3,165.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>METTA TECHNOLOGIES, INC.</b>									
5450	METTA TECHNOLOGIES,	00038965	Invoi	5bull litter fence w/ canopy-trash s	54-45-880	10/14/2016	25,421.00	.00	
Total METTA TECHNOLOGIES, INC.:							25,421.00	.00	
<b>MUNICIPAL CODE CORPORATION</b>									
5655	MUNICIPAL CODE CORP	00277511	Invoi	supplemnt to the code of ordinanc	10-44-300	10/24/2016	1,957.89	.00	
Total MUNICIPAL CODE CORPORATION:							1,957.89	.00	
<b>OWENS, SAHARA</b>									
58	OWENS, SAHARA	15.02851.31 10	Invoi	final billing - deposit return	53-22900	10/24/2016	71.71	.00	
Total OWENS, SAHARA:							71.71	.00	
<b>PANHANDLE ENVIRONMENTAL SERVICES INC</b>									
6005	PANHANDLE ENVIRONM	160900	Invoi	LAB ANALYSIS/E. coli-quant-tray	52-40-830	08/15/2016	30.00	.00	
6005	PANHANDLE ENVIRONM	161139	Invoi	lab analysis/e.coli-quant-tray	52-40-830	10/14/2016	30.00	.00	
6005	PANHANDLE ENVIRONM	161169	Invoi	lab analysis/e.coli-quant-tray	52-40-830	10/21/2016	30.00	.00	
Total PANHANDLE ENVIRONMENTAL SERVICES INC:							90.00	.00	
<b>PATTLEN ENTERPRISES, INC</b>									
6070	PATTLEN ENTERPRISES,	1731463-00	Invoi	rod bearing-end	10-65-710	10/26/2016	31.98	.00	
Total PATTLEN ENTERPRISES, INC:							31.98	.00	
<b>PINNACLE BANK</b>									
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	58-40-870	10/14/2016	1,577.51	1,577.51	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	58-40-200	10/14/2016	79.18	79.18	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	10-60-870	10/14/2016	5,101.34	5,101.34	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	10-60-200	10/14/2016	256.05	256.05	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	10-54-870	10/14/2016	1,232.27	1,232.27	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	10-54-200	10/14/2016	61.85	61.85	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	10-65-875	10/14/2016	459.58	459.58	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	10-65-200	10/14/2016	23.07	23.07	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	51-75-870	10/14/2016	5,723.46	5,723.46	10/26/2016
6124	PINNACLE BANK	8789 1016	Invoi	QTRly lease purchase payment	51-75-200	10/14/2016	287.28	287.28	10/26/2016
Total PINNACLE BANK:							14,801.59	14,801.59	
<b>PITTMAN ELECTRIC, LLC</b>									
6144	PITTMAN ELECTRIC, LLC	049-4549	Invoi	install heater elements @ baler bl	54-40-700	10/18/2016	930.00	.00	
6144	PITTMAN ELECTRIC, LLC	049-4558	Invoi	install 7 100A pedestls-rv park up	10-90-190	10/21/2016	5,450.00	.00	
Total PITTMAN ELECTRIC, LLC:							6,380.00	.00	
<b>QUILL CORPORATION</b>									
6400	QUILL CORPORATION	1303943	Invoi	pens36ct, ink cartrdge, post its, wi	10-14200	10/25/2016	75.94	.00	
Total QUILL CORPORATION:							75.94	.00	
<b>REGIONAL CARE INC</b>									
6567	REGIONAL CARE INC	1116FLEX AD	Invoi	11/16 select flex admin TOT01-00	10-22761	10/25/2016	76.50	76.50	10/26/2016
Total REGIONAL CARE INC:							76.50	76.50	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>RICHARD D HOLSTEAD ENGINEERING</b>									
6600	RICHARD D HOLSTEAD E	5404	Invoi	substation desgn-sub mtrls & proc	53-90-115	10/14/2016	1,542.75	.00	
Total RICHARD D HOLSTEAD ENGINEERING:							1,542.75	.00	
<b>SAM'S WEST INC</b>									
6940	SAM'S WEST INC	8701054957	Invoi	toilet tissue dispenserx12	10-14200	10/24/2016	267.84	.00	
Total SAM'S WEST INC:							267.84	.00	
<b>SMITTY'S REPAIR SERVICE</b>									
7240	SMITTY'S REPAIR SERVI	213201	Invoi	3/8"x3" flat iron per footx5	53-82-710	10/07/2016	20.25	.00	
Total SMITTY'S REPAIR SERVICE:							20.25	.00	
<b>SOURCEGAS INC</b>									
7265	SOURCEGAS INC	207408052163	Invoi	Utilities - 2001 W C St	10-55-400	10/18/2016	46.13	46.13	10/26/2016
7265	SOURCEGAS INC	207408052163	Invoi	Utilities - 2 Pioneer Park St	10-55-400	10/18/2016	25.11	25.11	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 495B S Main St	10-68-400	10/20/2016	51.47	51.47	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 7076 Rd 55 F Waterplan	51-75-400	10/20/2016	108.54	108.54	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 495A S Main St	10-68-400	10/20/2016	22.49	22.49	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 495C Main St	10-68-400	10/20/2016	26.09	26.09	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 1000 E 11th Ave/Trash	54-40-400	10/20/2016	114.62	114.62	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 2000 E 20th/Airport Offic	55-40-400	10/20/2016	23.08	23.08	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 2602 E G St	10-65-400	10/20/2016	32.54	32.54	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 350 W 21st Ave	10-68-400	10/20/2016	26.98	26.98	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 2502 E G St	57-40-400	10/20/2016	78.40	78.40	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 217 W 20th	10-48-400	10/20/2016	19.55	19.55	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 301 E 30	59-40-400	10/20/2016	30.07	30.07	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 306 E 30th Ave	59-40-400	10/20/2016	22.66	22.66	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 651 Industrial Park Ave	51-75-400	10/20/2016	49.82	49.82	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 659 Industrial Park Ave	51-75-400	10/20/2016	32.74	32.74	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 436 E 22nd St	10-52-400	10/20/2016	146.03	146.03	10/26/2016
7265	SOURCEGAS INC	207408052229	Invoi	Utilities - 2241 E B	58-40-400	10/20/2016	17.72	17.72	10/26/2016
Total SOURCEGAS INC:							874.04	874.04	
<b>SOUTH TORRINGTON WATER &amp; SEWER DISTRICT</b>									
7270	SOUTH TORRINGTON W	1076.01 1016	Invoi	water&sewer-Homesteaders' Mus	10-68-410	10/18/2016	64.00	64.00	10/26/2016
Total SOUTH TORRINGTON WATER & SEWER DISTRICT:							64.00	64.00	
<b>STANDARD INSURANCE COMPANY</b>									
7353	STANDARD INSURANCE	632979 0001 1	Invoi	11/2016 Premium-long term disab	10-22762	10/25/2016	1,799.44	1,799.44	10/26/2016
Total STANDARD INSURANCE COMPANY:							1,799.44	1,799.44	
<b>TORRINGTON EMPLOYEES INSURANCE</b>									
7880	TORRINGTON EMPLOYE	1116 PREMIU	Invoi	11/16 premium	10-22760	10/25/2016	75,548.11	75,548.11	10/26/2016
Total TORRINGTON EMPLOYEES INSURANCE:							75,548.11	75,548.11	
<b>TORRINGTON FIRE DEPT</b>									
7890	TORRINGTON FIRE DEP	102116	Invoi	professional services 11/2016	10-55-300	10/21/2016	800.00	.00	
Total TORRINGTON FIRE DEPT:							800.00	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>VOT INC</b>									
8465	VOT INC	615926	Invoi	halloween candy	10-41-960	10/27/2016	20.95	.00	
8465	VOT INC	615935	Invoi	halloween candy	10-41-960	10/27/2016	2.05	.00	
Total VOT INC:							23.00	.00	
<b>W A M-WCCA</b>									
8495	W A M-WCCA	3535E	Invoi	2nd installment-municipal/comm c	10-52-870	10/17/2016	2,500.00	2,500.00	10/26/2016
Total W A M-WCCA:							2,500.00	2,500.00	
<b>W W GRAINGER INC</b>									
8540	W W GRAINGER INC	9243954428	Invoi	air cmprsr & wtr pump prssure s	51-72-705	10/05/2016	86.40	.00	
8540	W W GRAINGER INC	9263202971	Invoi	line voltage mechanical thermosta	51-75-700	10/26/2016	202.12	.00	
Total W W GRAINGER INC:							288.52	.00	
<b>WASHINGTON NATIONAL INSURANCE CO</b>									
8575	WASHINGTON NATIONAL	P1624958	Invoi	PAYROLL WITHHOLDING-Group	10-22775	10/01/2016	32.70	32.70	10/19/2016
Total WASHINGTON NATIONAL INSURANCE CO:							32.70	32.70	
<b>WESTERN PATHOLOGY CONSULTANTS, INC</b>									
8700	WESTERN PATHOLOGY	0039861-IN	Invoi	Random pool mgmt	10-58-530	10/21/2016	150.00	.00	
Total WESTERN PATHOLOGY CONSULTANTS, INC:							150.00	.00	
<b>WESTERN PLAINS BUSINESS</b>									
8710	WESTERN PLAINS BUSIN	112549-00	Invoi	Copier Maint-service agreement-	54-45-650	10/05/2016	38.23	.00	
8710	WESTERN PLAINS BUSIN	112549-00	Invoi	Copier Maint-service agreement-c	51-75-650	10/05/2016	155.70	.00	
Total WESTERN PLAINS BUSINESS:							193.93	.00	
<b>WESTERN RESEARCH AND DEVELOPME, LTD</b>									
8735	WESTERN RESEARCH A	5354	Invoi	headwork design-sewer	52-90-300	09/30/2016	12,234.95	.00	
Total WESTERN RESEARCH AND DEVELOPME, LTD:							12,234.95	.00	
<b>WUNDER, ROGER LEE</b>									
8864	WUNDER, ROGER LEE	29833	Invoi	tested microwave/do not fix	10-52-600	10/20/2016	68.50	.00	
Total WUNDER, ROGER LEE:							68.50	.00	
<b>WYOMING CHILD SUPPORT</b>									
8951	WYOMING CHILD SUPPO	101916	Invoi	PAYROLL WITHHOLDING	10-22705	10/19/2016	262.61	262.61	10/19/2016
8951	WYOMING CHILD SUPPO	101916A	Invoi	PAYROLL WITHHOLDING	10-22705	10/19/2016	230.76	230.76	10/19/2016
Total WYOMING CHILD SUPPORT:							493.37	493.37	
<b>WYOMING CONTRACT TRANSPORTATION</b>									
8980	WYOMING CONTRACT T	725	Invoi	road spray-dust control @ pioneer	10-60-750	10/18/2016	2,105.00	.00	
Total WYOMING CONTRACT TRANSPORTATION:							2,105.00	.00	
<b>WYOMING DEPT OF REVENUE</b>									
9020	WYOMING DEPT OF REV	7000203 0916	Invoi	sales & use tax 09/2016	53-21400	09/30/2016	22,843.68	22,843.68	10/26/2016

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total WYOMING DEPT OF REVENUE:							22,843.68	22,843.68	
<b>WYOMING RETIREMENT SYSTEMS</b>									
9240	WYOMING RETIREMENT	132174	Invoi	10/16 Torr 2320 Vol EMT Pension	58-40-136	10/24/2016	60.00	60.00	10/26/2016
Total WYOMING RETIREMENT SYSTEMS:							60.00	60.00	
Grand Totals:							311,933.75	144,713.41	

Dated: \_\_\_\_\_

Mayor: \_\_\_\_\_

City Council: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

City Recorder: \_\_\_\_\_

Report Criteria:

Detail report.

Invoices with totals above \$0.00 included.

Paid and unpaid invoices included.